



R-KLT

The **R-KLT** series, created within the VDA - German Association of the Automotive Industry project, is ideally applied in the automotive industry, facilitating the movement of goods between the components industries and car manufacturers.

Good resistance to oils, various automated handling options, tough ergonomic handles, a high level of safety and strength and a reinforced bottom to withstand heavy loads.


BOTTOMS

IMICUBE


300 x 200



400 x 300



600 x 400



label holders
on both sides



slot



600 mm

300 mm + 300 mm



hand grip



slot for vertical bracing

stackable upper edge

label holder

ergonomic handle

stackable lower edge

reinforced bottom

centring hole

stable gripping surface
for extraction in autom. warehouses


guides for frontal handling



300 x 200 mm H 147 mm

iMICUBE

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €	
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet		
A	KL 3215 511G	■			■		■		2670	2	32		♻️
B	KL LI35 511G								680	4	240		♻️
⚠️ ARTICLE ON REQUEST													
A	KL 3115 5207	■			■		■		2990	2	32		♻️
B	KL LI31 5207								762	4	240		♻️
ACCESSORIES													
C	KL PROT 5100								25	8			♻️





DATASHEET

A	
Stacked edge height	132 mm
Usable stacked height / with lid	127 mm / 116 mm
Usable internal dimensions	243 x 161 x 142 H mm
Volume	5,3 L
Pieces per pack / pallet	📦 16 🚚 256
Package dimensions	620 x 420 x 563 H mm
Pallet dimensions	1200 x 800 x 2277 H mm
B	
Lid	300 x 200 mm
Pieces per pack. / dimension	📦 8 / 300 x 200 x 150 H mm
Pieces per pallet / dimension	🚚 1280 / 1200 x 800 x 1000 H mm
C	
Semi-opaque label protection	150 x 67 H mm
Pieces per pack	📦 8

⚠️ **ARTICLES ON REQUEST**
 Minimum order.....200 boxes
 Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
♻️	A KL 4315 51G	■				■	■		1290	8	128	
♻️	B KL LI45 51G								279	4	640	
⚠️	ARTICLE ON REQUEST											
⚠️	A KL 4115 5207	■				■	■		1445	8	128	
⚠️	B KL LI41 5207								312	4	640	
	ACCESSORIES											
♻️	C KL PROT 5100								25	8		



A	
Stacked edge height	132 mm
Usable stacked height / with lid	110 mm / 98 mm
Usable internal dimensions	345 x 264 x 124 H mm
Volume	10 L
Pieces per pack / pallet	📦 8 🚚 128
Package dimensions	620 x 420 x 563 H mm
Pallet dimensions	1200 x 800 x 2277 H mm
B	
Lid	400 x 300 mm
Pieces per pack. / dimension	📦 4 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	🚚 640 / 1200 x 800 x 1000 H mm
C	
Semi-opaque label protection	150 x 67 H mm
Pieces per pack	📦 8

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

⚠️ ARTICLES ON REQUEST
 Minimum order.....200 boxes
 Guaranteed shipping within.....60 days

400 x 300 mm H 280 mm

iMICUBE

ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A KL 4329 511G	■				■	■		1850	4	64	
B KL LI45 511G								279	4	640	
⚠ ARTICLE ON REQUEST											
A KL 4129 5207	■			■		■		2072	4	64	
B KL LI41 5207								312	4	640	
ACCESSORIES											
C KL PROT 5100								25	8		




DATASHEET

A	
Stacked edge height	265 mm
Usable stacked height / with lid	243 mm / 231 mm
Usable internal dimensions	345 x 264 x 257 H mm
Volume	22 L
Pieces per pack / pallet	4 64
Package dimensions	620 x 420 x 565 H mm
Pallet dimensions	1200 x 800 x 2285 H mm
B	
Lid	400 x 300 mm
Pieces per pack. / dimension	4 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000 H mm
C	
Semi-opaque label protection	150 x 67 H mm
Pieces per pack	8

⚠ ARTICLES ON REQUEST
 Minimum order.....200 boxes
 Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
♻️	A KL 6415 51G	■				■	■		2100	4	64	
♻️	B KL LI65 51G								680	4	240	
⚠️	ARTICLE ON REQUEST											
⚠️	A KL 6115 5207	■				■	■		2352	4	64	
⚠️	B KL LI61 5207								762	4	240	
	ACCESSORIES											
♻️	C KL PROT 5100								25	8		



A	
Stacked edge height	132 mm
Usable stacked height / with lid	110 mm / 98 mm
Usable internal dimensions	543 x 363 x 124 H mm
Volume	22 L
Pieces per pack / pallet	📦 4 🚚 64
Package dimensions	620 x 420 x 563 H mm
Pallet dimensions	1200 x 800 x 2277 H mm
B	
Lid	600 x 400 mm
Pieces per pack. / dimension	📦 4 / 600 x 400 x 100 H mm
Pieces per pallet / dimension	🚚 240 / 1200 x 800 x 1000 H mm
C	
Semi-opaque label protection	210 x 74 H mm
Pieces per pack	📦 8

DATASHEET


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

⚠️ ARTICLES ON REQUEST
 Minimum order.....200 boxes
 Guaranteed shipping within.....60 days

600 x 400 mm H 280 mm

iMICUBE

ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A KL 6429 511G	■				■	■		2970	2	32	
B KL LI65 511G								680	4	240	
⚠ ARTICLE ON REQUEST											
A KL 6129 5207	■				■	■		3326	2	32	
B KL LI61 5207								762	4	240	
ACCESSORIES											
C KL PROT 5100								25	8		



DATASHEET

A	
Stacked edge height	265 mm
Usable stacked height / with lid	243 mm / 231 mm
Usable internal dimensions	543 x 363 x 257 H mm
Volume	48 L
Pieces per pack / pallet	2 32
Package dimensions	620 x 420 x 565 H mm
Pallet dimensions	1200 x 800 x 2285 H mm
B	
Lid	600 x 400 mm
Pieces per pack. / dimension	4 / 600 x 400 x 100 H mm
Pieces per pallet / dimension	240 / 1200 x 800 x 1000 H mm
C	
Semi-opaque label protection	150 x 67 H mm
Pieces per pack	8

⚠ ARTICLES ON REQUEST
 Minimum order.....200 boxes
 Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



R-KLT



The **R-KLT** series, created within the VDA - German Association of the Automotive Industry project, is ideally applied in the automotive industry, facilitating the movement of goods between the components industries and car manufacturers.

Good resistance to oils, various automated handling options, tough ergonomic handles, a high level of safety and strength and a reinforced bottom to withstand heavy loads.

BOTTOMS

IMICUBE


300 x 200




400 x 300



600 x 400



label holders
on both sides



hand grip



holes for water drainage

stackable lower edge

slot for vertical bracing

reinforced bottom

stackable upper edge


centring hole


label holder

stable gripping surface
for extraction in autom. warehouses

ergonomic handle

guides for frontal handling





300 x 200 mm H 147 mm

iMICUBE

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €	
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet		
A	KL 3147 5127	■		■			■		570	16	256		
B	KL LI35 5127								91	8	1280		
ARTICLE ON REQUEST													
A	KL 3115 5207	■		■			■		638	16	256		
B	KL LI31 5207								102	8	1280		
ACCESSORIES													
C	KL PROT 5100								25	8			



A
Closed bottom
Load capacity 20 kg



B



C


DATASHEET

A	
Stacked edge height	132 mm
Usable stacked height / with lid	127 mm / 116 mm
Usable internal dimensions	243 x 161 x 142 H mm
Volume	5,3 L
Pieces per pack / pallet	16 256
Package dimensions	620 x 420 x 563 H mm
Pallet dimensions	1200 x 800 x 2277 H mm
B	
Lid	300 x 200 mm
Pieces per pack. / dimension	8 / 300 x 200 x 150 H mm
Pieces per pallet / dimension	1280 / 1200 x 800 x 1000 H mm
C	
Semi-opaque label protection	150 x 67 H mm
Pieces per pack	8

ARTICLES ON REQUEST
Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
♻️	A KL 4147 5127	■			■		■		1080	8	128	
♻️	B KL LI45 5127								279	4	640	
⚠️	ARTICLE ON REQUEST											
⚠️	A KL 4047 5207	■			■		■		1210	8	128	
⚠️	B KL LI41 5207								312	4	640	
	ACCESSORIES											
♻️	C KL PROT 5100								25	8		



A	
Stacked edge height	132 mm
Usable stacked height / with lid	127 mm / 116 mm
Usable internal dimensions	346 x 262 x 142 H mm
Volume	11,8 L
Pieces per pack / pallet	📦 8 🚚 128
Package dimensions	620 x 420 x 563 H mm
Pallet dimensions	1200 x 800 x 2277 H mm
B	
Lid	400 x 300 mm
Pieces per pack. / dimension	📦 4 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	🚚 640 / 1200 x 800 x 1000 H mm
C	
Semi-opaque label protection	150 x 67 H mm
Pieces per pack	📦 8

DATASHEET


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

⚠️ ARTICLES ON REQUEST
 Minimum order.....200 boxes
 Guaranteed shipping within.....60 days

400 x 300 mm H 280 mm

iMICUBE

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €	
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet		
A	KL 4280 5127	■			■		■		1700	4	64		♻️
B	KL LI45 5127								279	4	640		♻️
⚠️ ARTICLE ON REQUEST													
A	KL 4080 5207	■			■		■		1904	4	64		♻️
B	KL LI41 5207								312	4	640		♻️
ACCESSORIES													
C	KL PROT 5100								25	8			♻️




DATASHEET

A	
Stacked edge height	265 mm
Usable stacked height / with lid	260 mm / 249 mm
Usable internal dimensions	346 x 262 x 275 H mm
Volume	24,1 L
Pieces per pack / pallet	📦 4 🚚 64
Package dimensions	620 x 420 x 565 H mm
Pallet dimensions	1200 x 800 x 2285 H mm
B	
Lid	400 x 300 mm
Pieces per pack. / dimension	📦 4 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	🚚 640 / 1200 x 800 x 1000 H mm
C	
Semi-opaque label protection	150 x 67 H mm
Pieces per pack	📦 8

⚠️ **ARTICLES ON REQUEST**
 Minimum order.....200 boxes
 Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	A KL 6147 5127	■			■			■		1820	4	64	
	B KL LI65 5127									680	4	240	
	ARTICLE ON REQUEST												
	A KL 6047 5207	■			■			■		2038	4	64	
	B KL LI61 5207									762	4	240	
	ACCESSORIES												
	C KL PROT 5100									25	8		



A	
Stacked edge height	132 mm
Usable stacked height / with lid	127 mm / 116 mm
Usable internal dimensions	543 x 358 x 142 H mm
Volume	25 L
Pieces per pack / pallet	4 64
Package dimensions	600 x 400 x 563 H mm
Pallet dimensions	1200 x 800 x 2277 H mm
B	
Lid	600 x 400 mm
Pieces per pack. / dimension	4 / 600 x 400 x 100 H mm
Pieces per pallet / dimension	240 / 1200 x 800 x 1000 H mm
C	
Semi-opaque label protection	150 x 67 H mm
Pieces per pack	8

DATASHEET

600 x 400 mm H 280 mm

iMICUBE


	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €	
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet		
A	KL 6280 5127	■			■		■		2670	2	32		♻️
B	KL LI65 5127								680	4	240		♻️
⚠️ ARTICLE ON REQUEST													
A	KL 6080 5207	■			■		■		2990	2	32		⚠️
B	KL LI61 5207								762	4	240		⚠️
ACCESSORIES													
C	KL PROT 5100								25	8			♻️



A
Perforated bottom
Load capacity 20 kg



B




C

DATASHEET

A	
Stacked edge height	265 mm
Usable stacked height / with lid	260 mm / 249 mm
Usable internal dimensions	543 x 358 x 275 H mm
Volume	51,9 L
Pieces per pack / pallet	📦 2 🚚 32
Package dimensions	600 x 400 x 565 H mm
Pallet dimensions	1200 x 800 x 2285 H mm
B	
Lid	600 x 400 mm
Pieces per pack. / dimension	📦 4 / 600 x 400 x 100 H mm
Pieces per pallet / dimension	🚚 240 / 1200 x 800 x 1000 H mm
C	
Semi-opaque label protection	150 x 67 H mm
Pieces per pack	📦 8

⚠️ **ARTICLES ON REQUEST**
Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



1000 x 400 mm H 214 mm

iMICUBE

ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A KL 1421 5127	■				■	■		4000	9	33	



DATASHEET

A	
Stacked edge height	199 mm
Usable stacked height / with lid	177 mm
Usable internal dimensions	935 x 345 x 191 H mm
Volume	63 L
Pieces per pack / pallet	9 33
Package dimensions	1200 x 1000 x 782 H mm
Pallet dimensions	1200 x 1000 x 2354 H mm



4618-KLT 4680-KLT

The **4618-KLT** and **4680-KLT** folding bins have been specifically designed and manufactured to significantly reduce their footprint when not in use and when transporting empty items. The reduction in volume up to 80% allows for considerable savings in terms of storage and handling costs.

Made of high grade polypropylene, the 4618-KLT and 4680-KLT folding bins are equipped with four folding walls hinged at the base, with several ribs at critical points: these structural features extend the bins' life span.

HANDLES

lifting hole



SIDE WALLS

folding walls



locking clips



BOTTOM

perforated bottom




STACKABILITY



FOLDING SYSTEM



ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
⚠ ARTICLE ON REQUEST												
♻️ ♻️ ♻️	A	KL 4618 5101		■	■			■	2230	10	180	
	B	KL 4618 5127		■	■			■	2230	10	180	
	C	KL 4618 51JV		■	■			■	2230	10	180	



A - B - C	
Stacked edge height	48 mm
Usable stacked height	198 mm
Usable internal dimensions	547 x 359 x 215 H mm
Volume	42 L
Pieces per pack / pallet	📦 10 🚚 180
Package dimensions	620 x 425 x 560 H mm
Pallet dimensions	1200 x 800 x 2302 H mm

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

⚠ ARTICLES ON REQUEST
 Minimum order..... 500 boxes
 Guaranteed shipping within.....60 days

600 x 400 mm H 280 mm

iMICUBE

ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
⚠ ARTICLE ON REQUEST											
A KL 4680 5101		■		■			■	2540	10	180	
B KL 4680 5127		■		■			■	2540	10	180	
C KL 4680 51JV		■		■			■	2540	10	180	



A

Perforated bottom
Load capacity 20 kg



B

Perforated bottom
Load capacity 20 kg



C

Perforated bottom
Load capacity 20 kg



DATASHEET

A - B - C

Stacked edge height	48 mm
Usable stacked height	260 mm
Usable internal dimensions	547 x 359 x 277 H mm
Volume	54 L
Pieces per pack / pallet	📦 10 🚚 180
Package dimensions	620 x 425 x 560 H mm
Pallet dimensions	1200 x 800 x 2302 H mm

⚠ ARTICLES ON REQUEST

Minimum order..... 500 boxes
Guaranteed shipping within..... 60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



ODETTE

The distinctive yellow-coloured boxes of the **ODETTE** series were designed and built under the “Odette” project (Organisation for Data Exchange by Tele Transmission in Europe).

The organisation’s membership includes a number of important Italian and international companies, operating in particular in the automotive industry.

The Odette boxes came into being thanks to close cooperation with European car makers. The Odette project was launched Europe-wide in 1985 to create harmonised standards for containers for the handling and transport of small volumes or amounts.


BOTTOM

1MICUBE

ODETTE


201

reinforced bottom




PICKING


picking from above



picking from below



side picking



holes for vertical handling

holes for lid clips

side handle

bottom suitable for all types of roller beds

upper stacking edge

side guides for horizontal handling

guides for vertical handling

label holder

guides for frontal handling

lower stacking edge

OD

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	A OD 4950 5105	■					■	■		600	16	256	
	B OD 32SE 5105									110	8	1440	
	ACCESSORIES												
	C OD BEAM 0099										8		






A	
Stacked edge height	132 mm
Usable stacked height / with lid	118 mm / 107 mm
Usable internal dimensions	235 x 161 x 133 H mm
Volume	4,6 L
Pieces per pack / pallet	16 256
Package dimensions	620 x 420 x 563 H mm
Pallet dimensions	1200 x 800 x 2277 H mm
B	
Lid	300 x 200 mm
Pieces per pack. / dimension	8 / 300 x 200 x 160 H mm
Pieces per pallet / dimension	1440 / 1200 x 800 x 1000 H mm
C	
Metal document holder rod	
Pieces per pack	8


400 x 300 mm H 214 mm

iMICUBE

ODETTE 4930



203

ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A OD 4930 5105	■				■	■		1740	6	88	
B OD 43SE 5105								240	6	640	
ACCESSORIES											
C OD BEAM 0099									8		





DATASHEET


A

Stacked edge height	199 mm
Usable stacked height / with lid	185 mm / 174 mm
Usable internal dimensions	335 x 261 x 200 H mm
Volume	15,8 L
Pieces per pack / pallet	 6  88
Package dimensions	620 x 420 x 632 H mm
Pallet dimensions	1200 x 800 x 2354 H mm

B

Lid	400 x 300 mm
Pieces per pack. / dimension	 6 / 400 x 300 x 120 H mm
Pieces per pallet / dimension	 640 / 1200 x 800 x 1000 H mm


C

Metal document holder rod	
Pieces per pack	 8

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

OD

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	A OD 4910 5105	■					■	■		2820	3	44	
	B OD 64SE 5105									500	3	320	
	ACCESSORIES												
	C OD BEAM 0099										8		



A	
Stacked edge height	199 mm
Usable stacked height / with lid	185 mm / 174 mm
Usable internal dimensions	535 x 361 x 200 H mm
Volume	34,8 L
Pieces per pack / pallet	3 44
Package dimensions	620 x 420 x 632 H mm
Pallet dimensions	1200 x 800 x 2354 H mm
B	
Lid	600 x 400 mm
Pieces per pack. / dimension	3 / 600 x 400 x 60 H mm
Pieces per pallet / dimension	320 / 1200 x 800 x 1000 H mm
C	
Metal document holder rod	
Pieces per pack	8




DATASHEET


600 x 400 mm H 314 mm

iMICUBE

ODETTE 4900



205

ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A OD 4900 5105	■				■	■		4020	3	40	
B OD 64SE 5105								500	3	320	
ACCESSORIES											
C OD BEAM 0099									8		





DATASHEET


A

Stacked edge height	299 mm
Usable stacked height / with lid	285 mm / 274 mm
Usable internal dimensions	535 x 361 x 300 H mm
Volume	53 L
Pieces per pack / pallet	 3  40
Package dimensions	620 x 420 x 648 H mm
Pallet dimensions	1200 x 800 x 2369 H mm

B

Lid	600 x 400 mm
Pieces per pack. / dimension	 3 / 600 x 400 x 60 H mm
Pieces per pallet / dimension	 320 / 1200 x 800 x 1000 H mm

C

Metal document holder rod	
Pieces per pack	 8

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

OD